and femoral component revision, 76
freeze-dried, for revision hip arthroplasty, 201, 666
for revision hip arthroplasty, 943
for revision knee arthroplasty, 533
freeze-dried, for revision hip arthroplasty, 201, 666
grafting, with morcellized allograft, in total hip arthroplasty, 943
loss
acetabular, classification of, 83
after cemented total knee arthroplasty, 107
after total knee arthroplasty, impaction grafting revision for, 533
remodeling, after hip arthroplasty
hydroxyapatite-tricalcium phosphate coating and, 552
surface roughness of non-porous portion and, 266 (ab)
vital staining of, in retrieved femoral surface components, 1004
Bone cement. *See also* Polymethyl methacrylate
Boneloc, in hip arthroplasty, 811
polymethyl methacrylate
contamination of polyethylene cups, 905
in hip arthroplasty, 811
Boneloc bone cement
in hip arthroplasty, 811
Bone mineral density
changes, after cemented total knee arthroplasty, 107
of proximal tibia, and tibial component migration after total knee arthroplasty, 893
Burch-Schneider anti-protrusio cage
and acetabular revision, 568

Candida **infection**
of knee prosthesis, staged reimplantation after, 529
Cardiovascular complications
with bilateral sequential knee arthroplasty, in patients ≥75 old, 271
of total joint arthroplasty in lower extremity, 269 (ab)
Cathcart elliptical head endoprosthesis
for displaced femoral neck fractures, 360
Cement
antibiotics in, and cement spacers for infected hip arthroplasty, 882
extrapelvic extrusion of, in total hip arthroplasty, obturator nerve palsy caused by, 515
penetration of, in total knee arthroplasty, tibial baseplate design and, 487
strain, in cemented total hip arthroplasty, femoral prosthesis design and, 216
Cement acetabular locking mechanism
in hip arthroplasty, 748
Cementless fixation
for hip arthroplasty
aggressive granulomatous lesion in, 404
collarless wedge-fit femoral component of cobalt-chrome (Trilock) for, 251 (ab)
in developmental hip dysplasia, follow-up study of, 264 (ab)
functional recovery after, 1063
grit-blasted titanium femoral stem in, 47
with hemispheric porous coated acetabular component implanted with press fit techniques without screws, 251 (ab)
heterotopic ossification after, 1038
with Hylamer acetabular liner, liner sterilization in air *versus* nitrogen and, 463
immediate or late weight bearing after, 1063
matched-pair analysis with cemented acetabular components, 697
metal-backed modular cobalt-chromium acetabular components for, 820
for osteonecrosis of femoral head, 264 (ab)
polyethylene wear in, prediction of, 257 (ab)
in reconstruction of infected arthroplasty, antibiotic-impregnated cement spacer for, 882
in rheumatoid arthritis, 415, 628
safe screw placement in, 953
sciatic nerve palsy after, 512
surface roughness of non-porous portion of, effect on thigh pain and bone remodeling, 266 (ab)
wear debris from, presenting as pelvic mass, 674
in young patients, 312, 863
for knee arthroplasty
failed, 239
fat embolism after, 730
long-term follow-up of, 251 (ab)
periprosthetic tibial fractures after, 984
porous-coated, 559
Cement mantle
setting of, *in situ*, handheld cement sample as guide to, 376
thickness of, in total hip arthroplasty
centralizer and, 648, 998
femoral stem design and, 648
femur type and, 648
triangular distal centralizer and, 998
Cement spacer
antibiotics in, for reconstruction of infected total hip arthroplasty, 882
Ceramics
aluminum oxide, 1071
zirconium oxide, 1071
Charnley Elite femoral component
radiostereometric analysis of, 598
Charnley hip prosthesis
US and Japanese experience with, 340
in young Chinese patients, 92
Chinese patients
with varus knees, tibial intramedullary canal in, 212
young
cementless total hip arthroplasty in, 863
Charnley total hip arthroplasty in, 92
Coagulation
plasma, retransfusion with unwashed drainage blood and, 844
Colonic pseudo-obstruction
acute, after total joint arthroplasty, 1043
Computed tomography
of transepicondylar axis of distal femur, for planning total knee arthroplasty, 493
Contact stress
in total knee arthroplasty, indirect assessment of, 367
Continuous femoral infusion
and recovery after total knee arthroplasty, 436
Continuous passive motion
after total knee arthroplasty, 336
Core decompression
for nontraumatic osteonecrosis of femoral head, comparison with intertrochanteric osteotomy, 790
Cyst
paratibial, wear debris after total knee arthroplasty and, 389
Cystoscope
use in revision hip arthroplasty, 543

Death
early postoperative, with total hip arthroplasty, 254 (ab)
Deep venous thrombosis
after shoulder arthroplasty, 400
prevention of
pneumatic compression for, 37
warfarin for, fixed minidose *versus* adjusted low-dose, 1030
upper extremity, after total hip arthroplasty, 124
Diabetes mellitus
total knee arthroplasty in, 102
Dislocation
of Insall-Burstein II modified total knee arthroplasty, 233

Drain clamping
after total knee arthroplasty, 458
Dual-energy x-ray absorptiometry
after cemented total knee arthroplasty, 107

Elbow arthroplasty
revision, intraosseous radial nerve entrapment complicating, 919
Elbow joint
radial head dimensions in, 112
Electromyography (EMG)
intraoperative monitoring of, in periacetabular osteotomy, 268 (ab)
Embolization
therapeutic, of genicular arteries, 919
Enterococcus
vancomycin-resistant, in infected total knee arthroplasty, 802
Epicondylar axis
anatomic comparison to posterior condylar line, 269 (ab)
Exeter femoral component
radiostereometric analysis of, 598

Fat emboli
after total knee arthroplasty, 730
regional heparinization for knee arthroplasty and, 288
Femoral axis
in knee replacement, 301
Femoral head
osteonecrosis of
cementless total hip arthroplasty in, 264 (ab)
nontraumatic, core decompression *versus* intertrochanteric osteotomy for, 790
penetration into Hylamer acetabular liner, liner sterilization in air *versus* nitrogen and, 463
Femoral head loci pathways
during gait, in total hip arthroplasty, "in vivo" determination of, 257 (ab)
Femoral intramedullary alignment guide
in total knee arthroplasty
complications of, 247
potential error in, geometric analysis of, 641
Femur
distal
balanced flexion gap tension line in, 301
fractures, total knee arthroplasty after, 252 (ab)
posterior condylar axis of, 301
transepicondylar axis of
and femoral rotational alignment, 301
in osteoarthritic knee, CT measurement of, 493
fractures
periprosthetic, long-stem cementless component for, 379
supracondylar/condylar, total knee arthroplasty for, in osteoarthritis, 471
total knee arthroplasty after, 252 (ab)
neck, fracture, Cathcart elliptical head endoprosthesis for, 360
remodeling, after hip arthroplasty, hydroxyapatite-tricalcium phosphate coating and, 552
F-18 fluorodeoxyglucose positron emission tomography (PET)
of osteomyelitis, 243
Fibrinolysis
retransfusion with unwashed drainage blood and, 844
Flexion contracture
management of, in total knee arthroplasty, role of posterior cruciate ligament and posterior capsule in, 263 (ab)
Follow-up studies
of cemented acetabular components in osteoarthritis, 251 (ab)
of cemented collared femoral component
with matte finish, 253 (ab)
with polished surface finish, 253 (ab)
of cemented cruciate-retaining total knee arthroplasty, 252 (ab)
of cemented total hip arthroplasty, in congenital hip dysplasia, 251 (ab)
of cementless hemispheric porous coated acetabular component implanted with press fit techniques without screws, 251 (ab)
of cementless porous-coated total knee arthroplasty, 559
of cementless total hip arthroplasty in rheumatoid arthritis, 415
of Charnley hip prosthesis, in US and Japanese patients, 340
of collarless uncemented wedge-fit femoral component, 251 (ab)
of femoral components retained during acetabular revision in total hip arthroplasty, 261 (ab)
of fungal infection in total knee arthroplasty, 498
of Harris-Galante Porous I (HGP-I) prosthesis for total hip arthroplasty, 586
of hybrid revision total hip arthroplasty, 829
of hydroxyapatite-coated femoral stems, 267 (ab)
of low contact stress knee prosthesis, 977
of polyethylene wear in cementless acetabular components with 22-mm heads, 267 (ab)
of revision hip arthroplasty, with extended trochanteric osteotomy, 263 (ab)
of revision total hip arthroplasty
with cement-within-cement technique, 265 (ab)
with impacted freeze-dried allograft and cemented cup, 201, 666
of surface coating of single stem design in total hip arthroplasty, 264 (ab)
of total hip arthroplasty
with cemented revision of femoral component, 777
with cemented titanium stems, 254 (ab)
with grit-blasted titanium femoral stem, 47
with M. E. Müller cemented straight-stem prosthesis, 33
with polished taper hybrid stem, 263 (ab)
with tapered titanium hydroxyapatite-coated stem, 266 (ab)
of total knee arthroplasty
efficacy of mail surveys in, 267 (ab)
with Miller-Gallante II total knee, 422
with 4.4mm of tibial polyethylene, 252 (ab)
with pegged tibial baseplate, 70
Fracture
femoral
distal, total knee arthroplasty after, 252 (ab)
periprosthetic, long-stem cementless component for, 379
supracondylar/condylar, total knee arthroplasty for, in osteoarthritis, 471
of femoral component, after knee arthroplasty, 236
femoral neck, displaced, Cathcart elliptical head endoprosthesis for, 360
patellar, after total knee arthroplasty, 252 (ab)
tibial, periprosthetic, after low contact stress total knee arthroplasty, 984
of Whiteside Ortholoc II knee component, 919
Fuji film
for measurement of total knee arthroplasty contact areas, 367
Fungal infection
in total knee arthroplasty, 498
staged reimplantation after, 529

Gastrocnemius flap
in total knee arthroplasty, outcome with, 268 (ab)
Gaucher disease
total hip arthroplasty in, 7
Genesis I total knee prosthesis
midterm clinical and radiographic results with, 1055
Genicular artery
atherosclerosis, and spontaneous hemarthrosis six years after total knee arthroplasty, 133

embolization, for recurrent hemarthrosis after total knee arthroplasty, 919
Glenoid components
polyethylene, retrieved, observations on, 795
Granulomatosis
in cementless hip arthroplasty
aggressive, 404
presenting as pelvic mass, 674
and sciatic nerve palsy, 512
Groin pain
after hip arthroplasty, 919

Harris-Galante Porous I (HGP-I) prosthesis
for total hip arthroplasty, long-term follow-up of, 586
Harris Hip Score
in hip function assessment, 901
patient self-report *versus* surgeon-assessed, 575
Health status
assessment of, in patients waiting for major joint arthroplasty, 351
indicators, compared to patient satisfaction with knee arthroplasty, 476
Hemarthrosis
recurrent, after total knee arthroplasty, genicular artery embolization for, 919
spontaneous, six years after total knee arthroplasty, 133
Heparinization
regional, venous embolization with, 288
Hernia
lateral wall, presenting as flank mass after total hip arthroplasty, 1078
Heterotopic ossification
after total hip arthroplasty, pulsed irrigation and, 547
after uncemented hydroxyapatite-coated total hip arthroplasty, 1038
of knee, radiation prophylaxis of, 1
Hip
abductor biomechanics, after revision total arthroplasty, sliding trochanteric osteotomy and, 55
abductor mechanism tears, in osteoarthritis, 121
dysplasia
congenital, cemented total hip arthroplasty in, 251 (ab)
developmental, cementless total hip arthroplasty in, 264 (ab)
function, in patients >55 years old, population reference values for, 901
hemiarthroplasty
cemented, intravenous polymethyl methacrylate after, 521
posterior approach for, soft tissue repair after, 207
prosthesis
femoral component revision, impaction technique and graft treatment in, 76
hydroxyapatite-tricalcium phosphate–coated, and femoral remodeling, 552
M. E. Müller cemented straight-stem, results with, 33
porous-coated, and femoral remodeling, 552
Hip arthroplasty
acetabular components for
cemented and cementless, matched-pair analysis of, 697
cementless metal-backed modular cobalt-chromium, radiographic wear analysis in, 820
constrained
dislocation of, closed reduction of, 504
early failure of, 938
crosslinked polyethylene, wear behavior of, 258 (ab)
metal ring reconstruction
failure mechanisms of, 260 (ab)
technical considerations in, 961
modular
and osteolysis, 257 (ab)
and polyethylene wear, 257 (ab), 512
offset uncemented, early failure of, 265 (ab)
revision, 538
Burch-Schneider cage and, 568
early instability and, 270 (ab)
impacted freeze-dried bone and cemented cup for, 666
porous-coated hemispheric component for, 270 (ab)
safe screw placement in, 953
stemmed McMinn cup and, 871
with spike fixation, removal of, 1081
well-fixed, removal of, 538
acetabular liners for, ram extrusion *versus* isostatic molded machined, and polyethylene wear, 259 (ab)
acetabular position in, and polyethylene contact stresses, 265 (ab)
activity after
compared to activity of normal subjects, 613
and socket penetration, 620
after failed triple innominate osteotomy, 188, 677 *(letter)*
aseptic loosening of
cemented *versus* cementless acetabular reconstruction and, 697
modified cementing technique and, 784
bacteriuria after, with indwelling catheter or intermittent catheterization, 850
bearing surface in, sphericity of, 1024
bilateral, simultaneous, socket wear in, 117
Boneloc bone cement in, 811
bone remodeling after, hydroxyapatite-tricalcium phosphate coating and, 552
cardiovascular risk of, 269 (ab)
cement acetabular locking mechanism in, 748
cemented
acetabular fixation in, 697
cement mantle thickness in
centralizer and, 648, 998
femoral stem design and, 648
femur type and, 648
cement strain in, prosthesis design and, 216
in congenital hip dysplasia, 251 (ab)
distal cement mantle thickness in, with triangular distal centralizer, 998
recementation for, 777
survival analysis of, 251 (ab)
cemented titanium stems for, with rough surface, follow-up of, 254 (ab)
cementless
acetabular fixation in, 697
aggressive granulomatous lesion in, 404
collarless wedge-fit femoral component for, 251 (ab)
in developmental hip dysplasia, follow-up study of, 264 (ab)
functional recovery after, 1063
grit-blasted titanium femoral stem in, 47
with hemispheric porous coated acetabular component implanted with press fit techniques without screws, 251 (ab)
heterotopic ossification after, 1038
with Hylamer acetabular liner, liner sterilization in air *versus* nitrogen and, 463
immediate or late weight bearing after, 1063
for osteonecrosis of femoral head, 264 (ab)
polyethylene wear in, prediction of, 257 (ab)
in rheumatoid arthritis, 415, 628
safe screw placement in, 953
sciatic nerve palsy after, 512
surface roughness of non-porous portion of, effect on thigh pain and bone remodeling, 266 (ab)
wear debris from, presenting as pelvic mass, 674
in young patients, 312, 863
cement mantle setting in, handheld cement sample as guide to, 376
Charnley
in Chinese patients <40 years old, 92
US and Japanese experience with, 340
correction of limb-length inequality during, 715

crosslinked polyethylene components for, preclinical evaluation and follow-up of, 258 (ab)
deep venous thrombosis after, upper extremity, 124
dislocation
closed reduction for, arterial rupture in, 1071
with constrained acetabular component, 938
with constrained acetabular liners, closed reduction of, 504
femoral head size and, 262 (ab)
late, 254 (ab)
with head–neck interface corrosion, 262 (ab)
early postoperative death with, 254 (ab)
failed nonseptic, hybrid revision of, 829
failure, early, in HIV-infected (AIDS) patients, 260 (ab)
femoral component for
cemented
forged, cobalt-chromium, early fractures at neck-shoulder junction, 236
macrotexturing of, effect on performance, 253 (ab)
cemented collared
matte finish for, 253 (ab)
polished surface finish for, 253 (ab)
cemented revision of, 777
design, 598
and cement strain, 216
early fractures of, 236
migration, radiostereometric analysis of, 598
retained during acetabular revision, follow-up of, 261 (ab)
revision
impaction grafting for, using stain finished chrome cobalt stem, 263 (ab)
impaction technique and graft treatment in, 76
roughened surface, precoated, early failure of, 141
stem fractures, early, 236
surface finish, effect on debonding, 267 (ab)
femoral head loci pathways during gait in, "in vivo" determination of, 257 (ab)
femoral osteolysis after, arteriovenous malformation mimicking, 394
functional recovery after, individualized exercise and educational videotapes and, 260 (ab)
in Gaucher disease, 7
Harris-Galante, long-term follow-up of, 586
Harris Hip Score for, patient self-report *versus* surgeon-assessed, 575
heterotopic ossification after, pulsed irrigation and, 547
hip function in, population reference values for, 901
ileus after, 1066
iliopsoas tendinitis after, 919
infected
closed reduction for, arterial rupture in, 1071
detection of, leukocyte scans in, 753
reconstruction of, antibiotic-impregnated cement spacer for, 882
in vivo kinematics of, correlation with polyethylene wear, 268 (ab)
large lumbar hernia after, 1078
M. E. Müller cemented straight-stem prosthesis for, results with, 33
mismatched wear couple in, 1071
modified cementing technique for, with hydroxyapatite granules, 784
modular
dislocation, femoral head–neck dissociation with, 806
dissociation of, at femoral head–neck interface, 806
obturator nerve palsy after, 515
Parsonage-Turner syndrome after, 518
pneumatic compression after, 37
with polished taper hybrid stem, follow-up of, 263 (ab)
polyethylene cups for, contamination with polymethyl methacrylate particles, 905
porous-coated press-fit acetabular components for, incomplete seating of, 256 (ab)
pulmonary embolism after, upper extremity deep venous thrombosis and, 124
range of motion to impingement and dislocation, femoral head size and, 262 (ab)
recurrent dislocation after, modular component exchange for, 254 (ab)
recurrent instability after, bipolar reconstruction for, 254 (ab)
retransfusion with unwashed drainage blood after, 844
revision, 777
acetabular bone loss classification in, 83
acetabular reinforcement ring and, 568
biomechanics of, sliding trochanteric osteotomy and, 55
cystoscope use in, 543
early instability and, 270 (ab)
extended trochanteric osteotomy in, follow-up of, 263 (ab)
femoral component, impaction technique and graft treatment in, 76
hemispherical cementless acetabular components placed at, failure mechanism of, 261 (ab)
hybrid method for, 829
impacted freeze-dried allograft for, 201, 666
infected
lymphoma complicating, 229
ultrasound diagnosis of, 1010
intraoperative synovial white cell count in, 261 (ab)
long-stem cementless component for, 379
metal ring acetabular reconstruction in, technical considerations for, 961
osteomyelitis after, F-18 FDG PET of, 243
patient expectations in, 87
removal of well-fixed acetabular component in, 538
retrieved femoral surface components in, vital staining of bone in, 1004
stemmed McMinn cup and, 871
trochanteric union in, 65
using cement-within-cement technique, follow-up study of, 265 (ab)
using impaction bone grafting with cemented nonpolished stems and Charnley cups, 943
in rheumatoid arthritis, fixation of, 628
sciatic nerve injury associated with, 512
simultaneous bilateral, comparison with simultaneous bilateral total knee arthroplasty, outcomes analysis, 260 (ab)
stress shielding in, radiographic assessment of, accuracy and reproducibility of, 256 (ab)
superior mesenteric vein tear with, 671
surface coating of stem in, follow-up study of, 264 (ab)
with tapered titanium hydroxyapatite-coated stem, follow-up study of, 266 (ab)
venous thromboembolism after, management patterns in, 679
waiting for, changes in pain and function during, 351
wear debris from, presenting as pelvic mass, 674
weight change after, 22
Zweymuller-Alloclassic grit-blasted titanium tapered stem for, 47

HIV-infected (AIDS) patients
total joint arthroplasty in
early failure of, 260 (ab)
infection after, 330

Hydroxyapatite coating
of femoral stems, follow-up study of, 267 (ab)
for hip prosthesis, heterotopic ossification with, 1038
total hip arthroplasty with modified cementing technique using, 784

Hylamer acetabular liner
femoral head penetration into, liner sterilization in air *versus* nitrogen and, 463

Hylamer-M inserts
in total knee arthroplasty, early failure with, 136

Ileus
postoperative, in lower extremity arthroplasty patient, 1066
Iliopsoas tendinitis
after hip arthroplasty, 919
Impaction grafting. *See* Bone, allograft, impacted
Infection
after total joint arthroplasty
in HIV-infected (AIDS) patients, 330
in intravenous drug users, 330
Candida, of knee prosthesis, staged reimplantation after, 529
detection of, using F-18 FDG PET, 243
fungal, in total knee arthroplasty, 498
hematogenous spread to total knee arthroplasty, 225
of hip arthroplasty
detection of, leukocyte scans in, 753
two-stage cementless reconstruction in, 882
ultrasound diagnosis of, 1010
of knee arthroplasty
detection of, leukocyte scans in, 753
vancomycin-resistant *Enterococcus* in, 802
of revision total hip arthroplasty, lymphoma complicating, 229
and total knee arthroplasty revision, limb salvage technique for, 524
Insall-Burstein-CCK components
stemmed *versus* unstemmed, in revision total knee arthroplasty, 266 (ab)
Insall-Burstein II modified total knee arthroplasty
dislocation of, 233
Interax prosthesis
micromotion between half bearings in, Roentgen stereophotogrammetric analysis of, 991
Internet
use by orthopaedic patients, 260 (ab)
Intravenous (IV) drug users
total joint arthroplasty in, infection after, 330

Kinematics
of knee, in unicompartmental arthroplasty, 252 (ab)
patellofemoral joint, in total knee arthroplasty, 706
of total knee arthroplasty, 706, 838
with inset *versus* onset patellar component design, 838
Knee
alignment, after total knee arthroplasty, and outcome of unicompartmental arthroplasty, 261 (ab)
anterior, pain in, quadriceps synovectomy for, 262 (ab)
biomechanics of, 279, 322, 706, 877
flexion-extension
after total knee arthroplasty in valgus knee, 721
perioperative, measurement of, 877
flexion-extension axis of, 301
flexion instability, after total knee arthroplasty in valgus knee, 721
heterotopic ossification of, radiation prophylaxis of, 1
kinematics
with inset *versus* onset patellar component design, 838
and patellar tracking, 838
in unicompartmental arthroplasty, 252 (ab)
lateral gonarthrosis, and unicompartmental arthroplasty, 196
motion, after total knee arthroplasty, 428
osteoarthritic, CT measurement of transepicondylar axis in, 493
pain, after total knee arthroplasty, management of, 428
preoperative range of motion, and outcome of total knee arthroplasty, 262 (ab)
prosthesis
S-ROM mobile-bearing hinge, 279
Total Condylar, 409
range of motion, after total knee arthroplasty, 877
stiffness, after total knee arthroplasty, management of, 428
transepicondylar axis in, 255 (ab)
Knee arthrodesis
conversion to knee arthroplasty, 768

Knee arthroplasty
activity after
patient expectations for, 264 (ab)
and wear, 446
after ipsilateral peripheral arterial bypass graft, 317
after knee fusion, 768
after prior distal femoral fractures, 252 (ab)
alignment in, and polyethylene contact stresses, 259 (ab)
anatomic comparison of posterior condylar line and epicondylar axis in, 269 (ab)
articulating surface congruency in, and polyethylene contact stresses, 259 (ab)
bacteriuria after, with indwelling catheter or intermittent catheterization, 850
bilateral
sequential
under one anesthetic, 271
in patients ≥75 old, 271
simultaneous, fat embolism after, 730
cardiovascular risk of, 269 (ab)
cemented, 759
bone density changes after, 107
fat embolism after, 730
posterior cruciate–retaining, modern design for, follow-up of, 252 (ab)
posterior cruciate–substituting, osteolysis and synovitis in, 259 (ab)
Press-Fit Condylar, survival analysis of, 161
tibial component in, 70
cementless
failed, 239
fat embolism after, 730
long-term follow-up of, 251 (ab)
periprosthetic tibial fractures after, 984
porous-coated, 559
cement penetration in, tibial baseplate undersurface peripheral lip and, 487
complications of, with femoral intramedullary alignment guide, 247
component failure in, 128
concave *versus* posterior-stabilized tibial joint surface in, 25
congenital patellar dislocation and, 384
constrained, 384
contact areas, measurement of, Fuji film and ultrasound, 367
continuous femoral infusion for, 436
continuous passive motion after, 336
in diabetic patients, 102
dislocation of, Insall-Burstein II modified prosthesis and, 233
drain clamping after, 458
failure
artificial fusion for, 524
early, 256 (ab)
in HIV-infected (AIDS) patients, 260 (ab)
femoral component in
alignment of, 247, 641
malposition of, prevention of, 266 (ab)
femoral intramedullary alignment guide used in
complications of, 247
potential error in, geometric analysis of, 641
femoral malrotation in, preoperative tibial varus and, 255 (ab)
femoral mechanical-anatomic axis in, in prevention of femoral component malposition, 266 (ab)
femoral rollback in, 909, 1055
femoral rotational alignment in, determination of, reliability of techniques, 301
follow-up studies of, efficacy of mail surveys in, 267 (ab)
functional recovery after, individualized exercise and educational videotapes and, 260 (ab)
gastrocnemius flap in, outcome with, 268 (ab)
Genesis I prosthesis for, midterm clinical and radiographic results with, 1055

hinge, 279
Hylamer-M inserts in, early failure with, 136
iatrogenic medial collateral ligament disruption during, treatment of, 268 (ab)
ileus after, 1066
infected
detection of, leukocyte scans in, 753
vancomycin-resistant *Enterococcus* in, 802
Insall-Burstein II modified, dislocation of, 233
Interax prosthesis for, micromotion between half bearings in, Roentgen stereophotogrammetric analysis of, 991
and internal fixation, combined, for ipsilateral gonarthritis and ununited tibial stress fracture, 506
intra-articular analgesia after, 306
in isolated patellofemoral osteoarthritis, 607
knee alignment after, 301
surgeon experience and, 635
knee pain and stiffness after, management of, 428
low contact stress
follow-up evaluation of, 977
periprosthetic tibial fractures after, 984
lumbar plexus and sciatic nerve block for
effectiveness of, 17
patient satisfaction with, 17
management of flexion contracture in, role of posterior cruciate ligament and posterior capsule in, 263 (ab)
mega prosthetic, fungal infection in, 498
with Miller-Gallante II total knee, instability after, 422
with 4.4mm of tibial polyethylene, 252 (ab)
mobile-bearing, results, 977
modular femoral stem in, stem-condyle junction failure with, 128
modular implants for, baseplate locking mechanism deterioration in, *in vivo*, 259 (ab)
modular press-fit stems for, 759
nerve injury after, 1048
net-shaped molded polyethylene in, benefits of, 259 (ab)
outcome, poor preoperative range of motion and, 262 (ab)
outcome assessment in, 253 (ab)
parapatellar approach for, 454
patellar component for
geometry of, 838
inset design, 838
onset design, 838
patellar fracture after, 252 (ab)
patellofemoral contact loads in, femoral rollback and, 909
patellofemoral joint kinematics in, 706
patient satisfaction with
compared to health status indicators, 476
comparison with objective outcomes, 740
pegged tibial baseplate in, 70
polyethylene contact stresses in, 259 (ab)
posterior cruciate–retaining, 422
and femoral rollback, 909, 1055
modern design for, follow-up of, 252 (ab)
posterior cruciate–sacrificing
component positioning in, surgeon experience and, 635
and femoral rollback, 909
versus posterior cruciate–substituting, 409
posterior cruciate–substituting
and femoral rollback, 909
metal-backed *versus* all-polyethylene tibial component for, 261 (ab)
osteolysis and synovitis in, 259 (ab)
posterior-stabilized, synovial entrapment in, 267 (ab)
Press Fit Condylar, component positioning in, surgeon experience and, 635
psychosocial influences on, 253 (ab)
recurrent hemarthrosis after, genicular artery embolization for, 919
regional heparinization for, and venous embolization, 288
results, preoperative osteoarthritis and, 13
revision
after use of Hylamer-M inserts, 136
impaction grafting and primary implants for, 533
implant selection for, and outcome, 581
infected, limb salvage technique for, 524
isolated tibial insert exchange in, 255 (ab)
stem-condyle junction failure in, 128
stemmed *versus* unstemmed Insall-Burstein-CCK components in, 266 (ab)
tibial component stability in, effect of stem modularity and fixation mode on, 759
white blood cell count analysis in, 256 (ab)
septic sacroiliitis with hematogenous spread to, 225
simultaneous bilateral
comparison with simultaneous bilateral total hip arthroplasty, outcomes analysis, 260 (ab)
safety and relative risk of, 265 (ab)
soft tissue balancing in
accuracy of, 545 *(letter)*
with valgus deformity, 721
spontaneous hemarthrosis 6 years after, 133
S-ROM mobile-bearing hinge prosthesis for, 279
staged reimplantation, after *Candida* infection, 529
subvastus approach for, 454
suction instrumentation in, effects on intramedullary pressure and pulmonary embolism, 255 (ab)
for supracondylar/condylar femoral fracture, in osteoarthritis, 471
thromboprophylaxis in, meta-analysis of, 293
tibial component for
all-polyethylene, 269 (ab)
versus metal-backed, 261 (ab), 689
with cementless keel, early loosening of, 255 (ab)
metal-backed *versus* all-polyethylene, 261 (ab), 689
migration of, postoperative bone mineral density and, 893
tibiofemoral instability after, 422
unicompartmental
kinematic analysis of, 252 (ab)
for lateral gonarthrosis, 196
outcome, knee alignment and, 261 (ab)
Oxford, through short incision, recovery after, 970
unicondylar, tibial component fixation in, metal backing and, 174
unilateral, fat embolism after, 730
in valgus knee, 721
venous thromboembolic disease management patterns in, 679
waiting for, changes in pain and function during, 351
wear debris particles in
and osteolytic lesions, 239
paratibial cyst associated with, 389
wear in, activity level and, 446
weight change after, 22
Whiteside Ortholoc II knee component for, fracture of, 919
without patellar resurfacing, in isolated patellofemoral osteoarthritis, 607

Knee Society scoring system
comparison with patient satisfaction with knee arthroplasty, 740

Lavage
pulsed, and heterotopic ossification after total hip arthroplasty, 547

Leg-length difference
after lower extremity osteotomy, 322
calculation of, 322
correction of, during total hip arthroplasty, 715

Letters to the Editor
Re: Accuracy of Soft-Tissue Balancing in Total Knee Arthroplasty, 545
Re: Total Hip Arthroplasty in Young Adults After Failed Triple Innominate Osteotomy, 677

Leukocyte scans
Tc-99m sulfur colloid/In-111, in detection of infected total hip and knee arthroplasties, 753
Limb ischemia
total knee arthroplasty after ipsilateral arterial bypass and, 317
Locking loop stitch
for soft tissue repair after posterior approach for hip hemiarthroplasty, 207
Lower extremity
arthroplasty in. *See also* Hip arthroplasty; Knee arthroplasty
cardiovascular risk of, 269 (ab)
ileus after, 1066
Lumbar plexus block
in total knee arthroplasty, patient satisfaction and effectiveness of, 17
Lymphoma
complicating infected revision total hip arthroplasty, 229

McMinn cup
stemmed, early loosening of, 871
Medication Quantification Score (MQS)
in health status assessment of patients waiting for major joint arthroplasty, 351
Mesenteric vein
superior, tear, with total hip arthroplasty, 671
Miller-Gallante II total knee
total knee arthroplasty with, instability after, 422

Nerve injury
after total hip arthroplasty, 512, 515
after total knee arthroplasty, 1048

Obturator nerve palsy
after total hip arthroplasty, 515
Ogilvie syndrome
after total joint arthroplasty, 1043
Osteoarthritis
cemented acetabular components in, survival analysis of, 251 (ab)
hip abductor mechanism tears in, 121
isolated patellofemoral, total knee arthroplasty in, 607
of knee
and results of primary total knee arthroplasty, 13
and unicompartmental knee arthroplasty, 196
supracondylar/condylar femoral fracture in, total knee arthroplasty for, 471
total knee arthroplasty in, intra-articular analgesia after, 306
transepicondylar axis of distal femur in, CT measurement of, for planning total knee arthroplasty, 493
Osteoclast inhibitors
novel clinically relevant, analysis of, *in vitro*, 270 (ab)
Osteolysis
after hip arthroplasty, macrotexturing of cemented femoral component and, 253 (ab)
in cemented cruciate-substituting total knee arthroplasty, 259 (ab)
femoral
after total hip arthroplasty, arteriovenous malformation mimicking, 394
with Hylamer acetabular liner, 463
of fibular head, failed cementless knee arthroplasty presenting as, 239
in hip arthroplasty, acetabular modularity and, 257 (ab)
with Hylamer-M inserts in total knee arthroplasty, 136
Osteomyelitis
detection of, using F-18 FDG PET, 243
Osteonecrosis
of femoral head
cementless total hip arthroplasty in, 264 (ab)
core decompression *versus* intertrochanteric osteotomy for, 790
Osteotomy
intertrochanteric, for nontraumatic osteonecrosis of femoral head, comparison with core decompression, 790
lower extremity
leg-length difference after, 322
preoperative planning for, 322
periacetabular, intraoperative electromyographic monitoring in, 268 (ab)
sliding trochanteric, and hip abductor biomechanics, after revision total arthroplasty, 55
tibial, high
leg-length difference after, 322
patellar infera after, 168
triple innominate, failed, total hip arthroplasty after, 188, 677 *(letter)*
trochanteric
extended, in revision hip arthroplasty, 263 (ab)
and outcome of revision hip arthroplasty, 65
Outcome. *See also* Follow-up studies
analysis, in simultaneous bilateral total knee arthroplasty and simultaneous bilateral total hip arthroplasty, 260 (ab)
with bilateral sequential knee arthroplasty, in patients ≥75 old, 271
in cementless porous-coated total knee arthroplasty, 559
of revision hip arthroplasty, trochanteric union and, 65
of total hip arthroplasty
Harris Hip Score for, patient self-report *versus* surgeon-assessed, 575
hip function in, population reference values for, 901
of total knee arthroplasty
concave *versus* posterior-stabilized tibial joint surface and, 25
measures of, in clinical practice, 253 (ab)
preoperative osteoarthritis and, 13
Oxford unicompartmental knee arthroplasty
through short incision, recovery after, 970

Pain
in anterior knee, quadriceps synovectomy for, efficacy of, 262 (ab)
groin, after hip arthroplasty, 919
knee, after total knee arthroplasty, management of, 428
relief, after total knee arthroplasty
continuous femoral infusion for, 436
preoperative osteoarthritis and, 13
Parapatellar approach
for total knee arthroplasty, 454
Parsonage-Turner syndrome
after total hip arthroplasty, 518
Patella
congenital dislocation of, total knee arthroplasty in adult with, 384
fracture, after total knee arthroplasty, 252 (ab)
height, after high tibial osteotomy, 168
recurrent dislocation of, 384
Patellar infera
after high tibial osteotomy, 168
Patellofemoral joint
kinematics, in total knee arthroplasty, 706
Patient expectations
for activity after total knee arthroplasty, 264 (ab)
in hip arthroplasty revision, 87
Patient satisfaction
with lumbar plexus and sciatic nerve block for knee arthroplasty, 17
with total knee arthroplasty
compared to health status indicators, 476
comparison with objective outcomes, 740
Peripheral nerve block
in total knee arthroplasty, patient satisfaction and effectiveness of, 17

Peripheral neuropathy
after total knee arthroplasty, risk factors for, 1048
Peroneal nerve palsy
after total knee arthroplasty, 1048
Physical therapy
after shoulder arthroplasty, home-based, 483
Pin-on-disk wear tester
for polyethylene on cobalt-chrome alloy, in total hip arthroplasty, 658
Plasma coagulation
retransfusion with unwashed drainage blood and, 844
Pneumatic compression
after total hip arthroplasty, 37
nursing education about, and expected *versus* delivered levels, 37
Polyethylene
contact stresses
acetabular position and, 265 (ab)
in total knee arthroplasty, 259 (ab)
crosslinked, for total hip arthroplasty, preclinical evaluation and follow-up of, 258 (ab)
cross-linking methods, correlation with wear, 257 (ab), 258 (ab)
cups made of, contamination with polymethyl methacrylate particles, 905
glenoid components made of, retrieved, observations on, 795
net-shaped molded, in total knee arthroplasty, benefits of, 259 (ab)
Silane crosslinked, wear and physical properties of, comparison with ultra-high-molecular-weight polyethylene, 1018
tibial component made of, *versus* metal-backed, matched-pair analysis of, 689
ultra-high-molecular-weight
cross-linking, novel method for, 149
mechanical properties of, 149
oxidation resistance of, 149
wear, improvement of, 149
wear and physical properties of, comparison with Silane crosslinked polyethylene, 1018
wear
acetabular modularity and, 257 (ab)
activity patterns and intensity and, 257 (ab)
after knee arthroplasty, activity level and, 446
in cemented cruciate-substituting total knee arthroplasty, 259 (ab)
in cementless acetabular components, 22-mm head and, 267 (ab)
in cementless acetabular reconstructions, prediction of, 257 (ab)
correlation with cross-linking methods, 257 (ab), 258 (ab)
measurement of, computer-assisted, 263 (ab)
pin-on-disk tester for, 658
radiographic analysis of, in acetabular component, 820
ram extrusion *versus* isostatic molded machine liners and, matched-pair analysis of, 259 (ab)
in total hip arthroplasty, 1024
correlation with *in vivo* kinematics, 268 (ab)
wear debris
and osteolytic lesions in knee arthroplasty, 239
and paratibial cyst after total knee arthroplasty, 389
presenting as pelvic mass, 674
Polyethylene insert
in total knee arthroplasty, and outcome, 25
Polymethyl methacrylate
bone cement, in hip arthroplasty, 811
effect on surgical gloves, 541
intravenous, after cemented hip hemiarthroplasty, 521
particles, contamination of polyethylene cups, 905
Porous-coated implants
acetabular
press-fit, incomplete seating of, 256 (ab)
for revision total hip arthroplasty, 270 (ab)
with spike fixation, removal of, 1081
Harris-Galante Porous I (HGP-I), for total hip arthroplasty, 586
for total hip arthroplasty, and femoral remodeling, 552
for total knee arthroplasty, 559
Positron emission tomography (PET)
F-18 FDG, of osteomyelitis, 243
Press-Fit Condylar total knee arthroplasty
survival analysis of, 161
Pulmonary embolism
after total hip arthroplasty, 124
fatal, after shoulder arthroplasty, 400
prevention of
pneumatic compression for, 37
suction instrumentation in total knee arthroplasty and, 255 (ab)
warfarin for, fixed minidose *versus* adjusted low-dose, 1030

Quadriceps synovectomy
for reduction of anterior knee pain, efficacy of, 262 (ab)

Radial head
anthropometric study of, 112
prosthesis, design of, 112
Radial nerve
intraosseous entrapment, complicating total elbow revision, 919
Radiation
preoperative, and closed reduction for infected hip arthroplasty, 1071
prophylactic, for heterotopic ossification of knee, 1
Radiostereometric analysis
of Charnley Elite femoral component, 598
of Exeter femoral component, 598
of femoral component in hip arthroplasty, 76
of tibial component fixation in unicondylar knee arthroplasty, 174
of total knee arthroplasty fixation, 25
Rehabilitation
after shoulder arthroplasty, 483
Rheumatoid arthritis
total hip arthroplasty in
cementless, 415, 628
fixation of, 628
total knee arthroplasty in
intra-articular analgesia after, 306
peripheral neuropathy after, 1048
Roentgen stereophotogrammetric analysis
of micromotion between half bearings in Interax prosthesis, 991

Sacroiliitis
septic, hematogenous spread to total knee arthroplasty, 225
Sarcoma
of proximal tibia, endoprosthetic replacement for, reconstruction of extensor mechanism after, 856
Sciatic nerve
block, in total knee arthroplasty, patient satisfaction and effectiveness of, 17
palsy, after cementless total hip arthroplasty, 512
Sepsis
hematogenous spread to total knee arthroplasty, 225
SF-36
in health status assessment of patients waiting for major joint arthroplasty, 351
Shoulder
pain or weakness in, after joint arthroplasty, differential diagnosis of, 518
Shoulder arthroplasty
fatal pulmonary embolism after, 400

polyethylene glenoid components for, retrieved, observations on, 795
prosthesis failure in, 180
rehabilitation after, 483
uncemented humeral components in, radiographic assessment of, 180
Sliding trochanteric osteotomy
and hip abductor biomechanics, after revision total arthroplasty, 55
Soft tissue
balancing, in total knee arthroplasty
accuracy of, 545 *(letter)*
with valgus deformity, 721
repair, using locking loop stitch, after hip hemiarthroplasty, 207
Stereophotogrammetry
for analysis of micromotion between half bearings in Interax prosthesis, 991
Stress fracture
tibial, nonunion of, and ipsilateral gonarthritis, management of, 506
Stress shielding
and bone density changes after cemented total knee arthroplasty, 107
in total hip arthroplasty, radiographic assessment of, accuracy and reproducibility of, 256 (ab)
Subvastus approach
for total knee arthroplasty, 454
Surgical gloves
latex-free, polymethyl methacrylate and, 541
Synovial entrapment
in posterior-stabilized total knee arthroplasty, 267 (ab)
Synovitis
in cemented cruciate-substituting total knee arthroplasty, 259 (ab)

Thromboemboli
after shoulder arthroplasty, 400
prophylaxis
in total hip arthroplasty, 679
in total knee arthroplasty, 679
meta-analysis of, 293
regional heparinization for knee arthroplasty and, 288
Tibia. *See also* Osteotomy, tibial
bowing, intramedullary canal in, in Chinese patients, 212
fractures, periprosthetic, after low contact stress total knee arthroplasty, 984
intramedullary canal in, in Chinese patients with varus knees, 212
proximal
endoprosthetic replacement of, reconstruction of extensor mechanism after, 856
postoperative bone mineral density of, and tibial component migration after total knee arthroplasty, 893
stress fracture, nonunion of, and ipsilateral gonarthritis, management of, 506
Tibial baseplate
design, and cement penetration in total knee arthroplasty, 487
pegged, 70
undersurface peripheral lip, and cement penetration in total knee arthroplasty, 70
Tibial component for total knee arthroplasty
all-polyethylene, 269 (ab)
versus metal-backed, matched-pair analysis of, 689
with cementless keel, early loosening of, 255 (ab)
metal-backed *versus* all-polyethylene, 261 (ab), 689
migration of, postoperative bone mineral density and, 893
in unicondylar knee arthroplasty, metal backing for, and fixation, 174
Tibial osteotomy
high, patellar infera after, 168

Total joint arthroplasty
acute colonic pseudo-obstruction after, 1043
bacteriuria after, with indwelling catheter or intermittent catheterization, 850
hip. *See* Hip arthroplasty
infection after
in HIV-infected (AIDS) patients, 330
in intravenous drug users, 330
knee. *See* Knee arthroplasty
postoperative ileus in, 1066
shoulder. *See* Shoulder arthroplasty
warfarin after, fixed minidose *versus* adjusted low-dose, 1030
Tourniquet
and total knee arthroplasty after ipsilateral arterial bypass, 317
Transepicondylar axis
of distal femur
computed tomographic measurement of, 493
and femoral rotational alignment, 301
in normal, varus, and valgus knee, 255 (ab)
Triple innominate osteotomy
failed, total hip arthroplasty after, 188, 677 *(letter)*
Trochanteric osteotomy
and outcome of revision hip arthroplasty, 65
sliding, and hip abductor biomechanics, after revision total arthroplasty, 55

Ultrasound
for diagnosis of infection in revision total hip arthroplasty, 1010
for measurement of total knee arthroplasty contact areas, 367
Upper extremity
deep venous thrombosis, and pulmonary embolism after total hip arthroplasty, 124

Valgus deformity
primary total knee arthroplasty in, 721
transepicondylar axis in, 255 (ab)
Varus deformity
and femoral malrotation in total knee arthroplasty, 255 (ab)
tibial intramedullary canal in, in Chinese patients, 212
transepicondylar axis in, 255 (ab)
Venous thromboembolic disease. *See* Thromboemboli
Visual analog scale
for pain, comparison with patient satisfaction with knee arthroplasty, 740
for patient satisfaction, in total knee arthroplasty, 740
Vital staining
of bone, in retrieved femoral surface components, 1004

Waiting lists
for major joint arthroplasty, management of, 351
Waiting time
for major joint arthroplasty, and changes in pain and function, 351
Warfarin
fixed minidose *versus* adjusted low-dose, after total joint arthroplasty, 1030
Wear
after cementless total hip arthroplasty, and sciatic nerve palsy, 512
polyethylene
acetabular modularity and, 257 (ab)
activity patterns and intensity and, 257 (ab), 446
in cemented cruciate-substituting total knee arthroplasty, 259 (ab)
in cementless acetabular components, 22-mm head and, 267 (ab)
in cementless acetabular reconstructions, 257 (ab)
correlation with cross-linking methods, 257 (ab)
measurement of, computer-assisted, 263 (ab)
pin-on-disk tester for, 658

ram extrusion *versus* isostatic molded machined acetabular liners and, matched-pair analysis of, 259 (ab)
Silane crosslinked *versus* ultra-high-molecular-weight, 1018
in total hip arthroplasty, 1024
correlation with *in vivo* kinematics, 268 (ab)
Wear analysis
of bearing surface, in total hip arthroplasty, 1024
in bilateral simultaneous total hip arthroplasty, 117
in hip arthroplasty, activity level and, 257 (ab), 620
of Hylamer acetabular liner, 463
in knee arthroplasty, activity level and, 446
of mismatched wear couple, in total hip arthroplasty, 1071
of polyethylene glenoid components, 795
radiographic, in cementless metal-backed modular cobalt-chromium acetabular component, 820
of Silane crosslinked polyethylene, comparison with ultra-high-molecular-weight polyethylene, 1018
Wear debris
aggressive granulomatosis caused by, 404
from total hip arthroplasty, presenting as pelvic mass, 674
in total knee arthroplasty
and osteolytic lesions, 239
paratibial cyst associated with, 389
Weight change
after total hip arthroplasty, 22
after total knee arthroplasty, 22
Western Ontario and McMaster Osteoarthritis Index. *See* WOMAC
White blood cell count
analysis, in revision knee arthroplasty, 256 (ab)
intraoperative synovial, in revision hip arthroplasty, 261 (ab)
Whiteside Ortholoc II knee component
fracture of, 919
Whiteside's line
and femoral rotational alignment, 301
WOMAC
assessment of patient expectations in revision hip arthroplasty, 87
findings on, comparison with patient satisfaction with knee arthroplasty, 740
in health status assessment of patients waiting for major joint arthroplasty, 351
in hip function assessment, 901

Young patients
cementless hip arthroplasty in, 312, 863
Charnley hip prosthesis in, 92

Author Index: Volume 16, 2001

Abbot, Amy E., 225
Abdel-Kader, K. F. M., 811
Adams, Joanne B., 265
Adili, Anthony, 271
Agarwal, Sanjeev, 943
Ahn, Nicholas U., 136
Ahn, Uri M., 136
Akisue, Toshihiro, 389
Aldam, C. H., 635
Alfaro-Adrián, J., 598
Allcock, S., 811
Allen, P. W., 635
Allman, Kirk, 266
Ames, Michael, 844
Amirouche, F. M. L., 641
Ammeen, Deborah J., 261, 267, 581
Amro, Rena, 255
Anderson, Dylan T., 252
Anderson, P. G., 33
Andersson, Lena, 1063
Andriacchi, Thomas P., 259
Anwar, M., 233
Appleton, Leanne, 37
Archibeck, Michael J., 266
Argenson, Jean-Noel, 252
Arndt, David C., 575
Aubaniac, Jean-Manuel, 252
Ayeko, C., 233
Ayers, David C., 253

Babis, George C., 255
Bach, Christian, 1075
Bachus, Kent N., 216, 721
Badenhausen, Walter E., Jr., 264, 269
Baez, Norberto, 261
Bai, Bo, 759
Ban, C. M., 212
Bankes, M. J. K., 635
Barden, Regina M., 251
Barrack, Robert L., 239, 820
Battish, Raman, 267
Bauer, Thomas W., 389
Baumann, Patricia A., 384, 498
Beauchamp, Delbert H., 279
Beaver, Richard J., 927
Beck, Michael, 188
Beck, Thomas D., 301
Bederman, S. Samuel, 1066
Behairy, Yaser, 829
Bengtson, Keith A., 483
Berend, Michael, 252
Berger, Richard A., 251, 254, 257, 259, 268
Bergquist, Peter E., 384
Berry, Daniel, 128, 252, 253, 254
Berry, J., 521
Berthelsen, Anne, 559
Bertolo, Gina, 253
Berzins, Ivors, 259
Betsy, Michael, 1066
Beverland, David E., 607, 984
Beynnon, B. D., 909
Bhandari, Mohit, 271
Bhende, Harish S., 715
Bickels, Jacob, 856
Biggs, R. E., 121
Biggs, Stephen A., 658
Bindi, F. D., 547
Bissett, Gina, 415
Boardman, N. Douglas, III, 483
Bobyn, J. Dennis, 552
Bodén, Henrik, 1063
Bolander, Mark, 260
Boldt, Jens G., 768, 943
Bonnomet, François, 47
Booth, Robert E., Jr., 253, 255, 260, 266, 269
Boucher, Michael A., 394
Bourne, R. B., 121, 168
Bowen, Barbara, 253, 269
Bragdon, Charles R., 149, 258, 658
Bragonzoni, Laura, 991
Brand, Richard A., 679
Breslin, E., 607, 984
Breusch, Steffen J., 648
Brill, Caroline, 790
Brocai, Dario R. C., 648, 790
Brookenthal, K. R., 293
Brown, Thomas E., 261
Bryant, J. T., 367
Buchowski, Jacob M., 136
Buckle, Rosemary, 436
Bugbee, William D., 581
Bullens, Pieter H. J., 740
Buma, Pieter, 666
Burbank, Scott, 265
Burton, Beverly, 260

Cabanela, Miguel E., 268
Callaghan, John J., 251, 253, 254, 267
Camarata, David, 266
Campbell, David G., 83
Capello, W. M., 263
Carlsson, L., 25, 174
Carlsson, Lennart, 905
Castelein, R. M., 850
Cazeau, Cyrile, 47
Chambers, G. K., 87
Chan, Angela J., 279
Chang, Jun-Dong, 882
Chaudhry, S. B., 811
Chelly, Jacques E., 436
Chen, Andrew L., 753, 1055
Chen, Peter C., 257, 259, 265
Chidel, Mark A., 1
Chiu, K. H., 207
Chiu, K. Y., 92, 247, 863
Chiu, Kwong-Yuen, 336
Cho, Se-Hyun, 882
Chu, Cheng-Mien, 806
Churchill, D. L., 909
Clohisy, John C., 697
Clyburn, Terry A., 436
Cofield, Robert H., 180, 483
Colterjohn, Nigel, 394
Colwell, Clifford W., Jr., 257, 259, 265, 838
Comans, E. F. I., 243
Compson, J. P., 521
Coupe, Kevin, 436
Coutts, Richard, 141
Craig, Marcis A., 216
Crane, Hal, 260
Criswell, Allen, 436
Crites, Brian, 252
Crone, Malcolm D., 984
Crossett, Lawrence S., 269
Cruz-Pardos, Ana, 586
Culpepper, William J., 264
Cunningham, Benjamin, 498
Cunningham, Richard B., 133
Curry, Jessica I., 264, 269
Cutter, Gary, 260

D'Ambrosia, Robert D., 541
D'Lima, Darryl, 257, 259, 265, 838
Dalal, Apurva R., 251
Dalén, Nils, 1063
Dalury, David F., 269
Davey, J. Rod, 487
Davidson, Andra B., 330
Davies, J., 547
Davis, Kenneth, 251
de Beer, Justin, 271, 394, 1043
de Roeck, Nicholas J., 201
de Thomasson, E., 538
de Waal Malefijt, Maarten C., 740
Dela Rosa, Mylene, 257, 262
Delaney, John, 258

Delaunay, Christian, 47
Della Valle, Craig J., 923, 1081
Dennis, Douglas A., 252, 257, 260, 268, 706
Di Cesare, Paul E., 753, 1055
Dilawari, Punit, 943
Dodd, C. A. F., 970
Dodds, Kathleen, 265
Dorr, Lawrence, 251, 260, 689, 961
Dowson, D., 613, 620
Drabu, Khalid J., 201, 943
Drobny, Thomas K., 768
Duchow, Jochen, 844
Duffy, Gavan, 253, 267
Dumbleton, John, 258
Dunbar, Michael J., 476
Duncan, Clive P., 37, 83, 87
Dunn, Harold K., 188, 270

Earll, Mark D., 254
Ed, Chris, 259
Edidin, Avram, 258
Edwards, T. Bradley, 541
Eftekhar, Nas S., 340
Eisler, T., 871, 1010
Ellis, Thomas J., 264
Elmstedt, E., 871, 1010
Elstein, Deborah, 7
Elsworth, C. F., 233
Elting, James J., 263
Empson, Jan A., 264, 269
Engel, Scott, 267
Engh, Anderson, Jr., 263, 264
Engh, C. Anderson, Jr., 256, 264
Engh, Charles A., 254, 256, 257, 263, 264
Engh, Gerard A., 259, 261, 262, 267, 581
Engström, C. -F., 1010
Eni-Olotu, D. O., 376
Ezzet, Kace A., 838

Fada, Robert A., 265
Faris, Philip, 13, 252
Farley, David R., 1078
Fazekas, Anna, 288
Fehring, Thomas, 254, 256
Feinberg, S., 263
Fenelon, G., 65
Fenton, P. V., 367
Finn, Henry A., 384, 498
Fisher, J., 1018
Fitzgerald, R. H., 293
Fleming, P. A., 613, 620
Franklin, Practicia D., 253
Freedman, K. B., 293
Froimson, Mark I., 266
Fujita, Masaki, 938
Fujiwara, Hiroyoshi, 471

Gagna, G., 538
Galante, Jorge O., 251, 254, 257, 259, 262
Ganapathi, M., 229
Garbuz, Donald S., 37, 83, 87
Garcia-Cimbrelo, Eduardo, 586
Garino, John, 266
Gebhard, Ralf, 436
Geotz, Devon D., 253
Giachino, A. Alan, 288
Gill, H. S., 598
Giori, Kathy L., 877
Giori, Nicholas J., 877
Gladden, Merrill, Jr., 422
Goddard, J. R., 376
Goetz, Devon D., 251, 267
Goldsmith, A. A. J., 613, 620
Gomez, Carlos, 265
Gonzalez, M. H., 641
Goodfellow, J. W., 970
Goodin, Robert A., 263
Goodman, Stuart B., 55, 877
Grabowski, Jenny, 288
Gradisar, Ivan, 679
Gramkow, J., 777
Grauer, Jonathan N., 671
Greengrass, Roy, 17
Greger, Jennifer, 436
Gregg, Paul J., 161
Gregson, P. A., 543
Griffin, Frankie M., 545
Griffin, William, 254, 256
Griffiths, A. P., 229
Gross, Lyndon, 269
Gruen, Thomas A., 648
Guingand, O., 538

Ha, Yong-Chan, 882
Haas, Brian, 268
Habetz, Scott, 541
Hadas-Halpern, Irith, 7
Haddad, Fares S., 37, 87
Hammill, Curt, 257
Handy, Robert, 266
Hang, Yi-Shiong, 529
Hansen, Else B., 559
Hanssen, Arlen D., 128, 255
Haraldsson, Conny, 905
Hardaker, C., 1018
Harkins, Paul C., 279
Harmsen, William S., 252, 253
Harrer, Michael F., 262
Harris, Wes, 13
Harris, William H., 149, 253, 258, 267, 270, 575, 658, 697, 829
Hartford, James M., 360, 977
Hartley, William T., 264
Hartman, Jodi F., 265
Hasegawa, Yukiharu, 463
Hassani, Galal, 559
Hasuda, Kei-ichiro, 389
Havinga, M. E., 33
Hawker, Gillian, 901
Heekin, Richard, 679
Henkel, Thomas R., 768
Herberts, P., 25
Hermida, Juan, 257
Hernandez, Ruben, 269
Hershey, Allen L., 838
Hess, Thomas, 844
Heyligers, I. C., 243, 533
Hickman, Joshua M., 270
Hiebert, Rudi, 759
Higginbotham, Thomas O., 216
Hirasawa, Yasusuke, 471, 493
Hirose, Kazuya, 306
Ho, W. Y., 92, 863
Hollis, J. Marcus, 748
Honl, Matthias, 1071
Hopper, Robert H., Jr., 254, 257, 264
Hossain, S., 233
Höstner, J., 76
Howell, G. E. D., 121
Hozack, William J., 251, 260, 265, 267, 415, 1030
Hultmark, P., 76
Hungerford, David S., 446
Hunt, Travis, 977
Hyldahl, H. C., 174

Iacono, Francesco, 991
Ilchmann, Thomas, 117
Illgen, Richard L., II, 270
Imaizumi, Tsukasa, 458
Imrie, Susie, 55
Incavo, S. J., 909
Iorio, Richard, 340, 679
Ip, F. K., 212
Irby, Steve E., 838
Isaac, G. H., 1018
Ishii, Seiichi, 306
Ismaily, Sabir, 262
Ito, Hiroshi, 938, 1024
Itzchaki, Menachem, 7
Iwaki, Hiroyoshi, 784
Iwamoto, Yukihide, 255
Iwasada, Seiki, 463
Iwata, Hisashi, 463

Jablonsky, Warren S., 379
Jackson, Walter O., 257
Jacobs, Joshua J., 251, 254, 257, 259, 262, 268
Jaffe, William L., 923
Jagpal, T. J., 87
Jain, Rajesh K., 253
Janssen, Rolf, 1071
Jasty, Murali, 149, 258, 658
Jazrawi, Laith M., 759
Jeer, P. J. S., 521
Jensen, T. H., 777
Jeong, Gerard K., 1055
Jiranek, William, 269
Jobard, Didier, 47
Johansen, R. Lance, 953
Johansson, Carina B., 1004
Johnson, C. C., 909
Johnson, James A., 112
Johnston, D. W. C., 351
Johnston, Richard C., 251, 253, 254, 267
Johnston, Todd, 253, 267
Jones, Maureen C., 483
Jones, Richard E., 279
Joseph, Thomas N., 753, 1055
Joshi, Atul, 117

Kadoya, Yoshinori, 784
Kantor, Stephen, 552
Kaper, Bertrand P., 168
Kärrholm, Johan, 25, 76, 174
Kasetti, Ravikumar J., 1038
Kassab, Safa, 141
Katsimihas, M., 935
Katz, Mark A., 301
Kaufer, Herbert, 360, 977
Kaufman, Kenton R., 838
Kawate, Kenji, 998
Keating, E. Michael, 13, 252
Keblish, Peter A., 706
Kefauver, Cheryl A., 265
Keggi, John M., 671
Keggi, Kristaps J., 671
Keisu, Kjell S., 415
Kellar-Graney, Kristen, 856
Kelly, K. D., 351
Kelly, Matt, 255
Kempf, Jean-François, 47
Kenney, Jennifer, 270

Keogh, Cathie V., 927
Kernohan, W. George, 984
Kerry, Robert M., 37
Kesteris, Uldis, 905
Khaw, Fu-Meng, 161
Kiernan, Howard, 1048
Kim, Hubert T., 236
Kim, Shin-Yoon, 882
Kim, Yoshio, 458
Kim, Young-Hoo, 730, 882
Kin, Narihiro, 784
King, Graham J. W., 112
Kinsey, Tracy L., 255
Kirk, Lorna M. G., 161
Kitamura, Shinji, 463
Klafeta, Karen, 268
Klotz, Michael, 107
Ko, C. K., 207
Ko, P. S., 212
Kobayashi, Akira, 196
Kobayashi, Seneki, 340
Kohl, William, 264
Kollender, Yehuda, 856
Komistek, Richard D., 252, 257, 268, 706
Kondo, Eiji, 938
Koo, Kyung, 877
Koo, Kyung-Hoi, 882
Krackow, Kenneth, 322, 446
Kratz, Patricia K., 254
Kreutzer, Jürgen, 648
Krismer, Martin, 1075
Kumar, Sanjay, 268
Kummer, Frederick J., 759
Kurosaka, Masahiro, 389

Laan, Roland F. J. M., 740
Lachiewicz, Paul F., 628
Lai, Joseph, 263
Lake, D. N. W., 229
Lam, J. J., 212
Lane, J. M., 613, 620
Langkamer, V. G., 935
Lannin, John V., 877
Larson, Bryan, 261
Lau, Sing Ki Kenric, 336
Lauffenburger, Michael D., 360
Lausmaa, Jukka, 905
Lavernia, Carlos, 269, 446, 820
Law, S. W., 207
Lebel, Ehud, 7
Lee, Brian P. H., 102
Lee, Eric W., 236
Lee, K. M., 863
Leese, N., 543
Lehman, Christopher R., 330
Leighton, Ross, 679
Lemma, Mesfin A., 136
Leopold, Seth S., 262, 268
Levitz, Craig, 107
Lewallen, David G., 252
Lewis, S. G., 521
Li, Ming G., 893
Li, Y. C., 641
Lidgren, Lars, 905
Lieberman, Jay R., 901
Lim, Charles K., 260
Lim, Gerald, 927
Lim, Lian-Arn, 128
Lin, Leou-Chyr, 806
Little, Richard, 483
Lo, N. N., 102
Lombardi, Adolph V., Jr., 265
Long, William, 689
Longjohn, Donald, 260, 961
Lonner, Jess H., 107, 267, 293
Loreti, Ivano, 991
Lotke, Paul A., 107, 267, 293, 301
Lounici, Smain, 259
Lowenstein, Jay D., 658
Lozynsky, Andrew J., 267
Luber, Martin J., 17
Lucijanić, Ivica, 515
Ludwig, Ralph, 568
Lukoschek, Martin, 648, 790
Lundberg, Christina, 1010

Macaulay, William, 1048
MacDonald, Steven J., 168, 379
Machenaud, Alan, 266
Magnus, Robert G., 379
Mahaluxmivala, J., 635
Mahomed, Nizar N., 575
Mahoney, Ormonde M., 255, 262
Mak, Kan Hing, 674
Mak, Y. K., 212
Malawer, Martin M., 856
Malcarney, Hilary L., 260
Malchau, H., 76
Maldjian, Catherine, 753
Malkani, Arthur L., 263
Mallory, Thomas H., 265
Mann, John W., III, 506
Marcacci, Maurilio, 991
Mariani, E. Marc, 133
Markel, David C., 124, 400
Markovic, Ljubisa, 117
Martell, John, 258
Mason, J. Bohannon, 254, 256
Masri, Bassam A., 37, 83, 87
Matejczyk, Mary-Blair, 1
Mathews, Vasilios, 259
Mathis, Kenneth, 264
Matsen, Frederick A., III, 795
Matsuda, Shuichi, 255
Matsui, Nobuzo, 389
Matsuno, Shigeo, 545
Matsuno, Takeo, 938, 1024
Maurer, Stephen L., 753
Mazel, Ch., 538
McAlinden, M. Gravan, 984
McAndrew, Christopher, 267
McAuley, James P., 254, 256, 261, 262, 264
McBride, Mark T., 266
McCallum, John D., III, 415
McClung, Christian D., 262
McCoy, Thomas H., 254
McEwen, H. M. J., 1018
McEwen, James A., 37
McGee, H., 233
McGeoch, C., 543
McGrory, Brian J., 265, 575
McLeish, William, 288
McStay, Chris, 268
Meding, John B., 13, 251, 252
Meldrum, Russell, 748, 829, 953
Meller, Isaac, 856
Mesko, J. Wesley, 679
Mihalko, William M., 263, 322
Miller, Charles W., 70, 504
Miller, Donald R., 288
Miller, Kristin, 251, 254
Miller, Susan J., 927
Minami, Akio, 938, 1024
Miner, Todd, 261, 263
Mitts, Kevin, 422
Miura, Hiromasa, 255
Moholkar, Kirti, 404
Mohr, R. Alexander, 721
Momberger, Nathan G., 261, 263
Moore, John, 266
Morberg, Per H., 1004
Moreau, Guy, 288
Moriarty, Lisa, 1030
Morlock, Michael, 1071
Morrey, Bernard, 254, 255
Moskal, Joseph T., 261, 506
Mujtaba, Mohammed, 753, 1055
Mulcahy, D., 65
Muldoon, Michael P., 422
Munzinger, Urs K., 768
Muratoglu, Orhun K., 149, 258
Muren, C., 871
Murgatoglu, Orhun K., 253
Murray, D. W., 598, 970
Murray, David G., 253

Nadaud, Matthew, 254, 256
Nagamine, Ryuji, 255
Nakajima, Hiroshi, 998
Nallamshetty, Leelakrishna, 136
Nassutt, Roman, 1071
Natarajan, Rhagunatha, 259
Nazarian, David, 253, 255, 260, 266, 269
Neff, Robert S., 856
Nelson, Charles, 267
Nercessian, Ohannes A., 312, 1048
Newman, S. C., 351
Ng, T. P., 92, 863
Nicholson, P., 65
Nicolai, P., 635
Nilsson, Kjell G., 893
Nishimura, Ikuya, 1024
Noble, Philip C., 262, 264
Nogler, Michael, 1075
Nokes, L., 376
Norris, Robert, 269
North, Jean, 47
Northcut, Eric J., 252, 257
Novotny, J., 641

O'Connor, Daniel O., 149, 258, 267, 658
O'Driscoll, Shawn W., 180
O'Rourke, Barbara, 253
O'Rourke, Keith, 288
O. S. Hoekstra, 243
Oakley, M. J., 454
Ochoa, Jorge A., 257, 268
Odum, Susan, 254, 256
Ohdera, Toshihiro, 196
Ohmura, Tetsuji, 998
Ohshima, Yasushi, 471
Ohtsuki, Yasuo, 493
Önnerfält, Rolf, 905
Oonishi, Hironobu, 784
Orozco, Fabio, 267, 415

Padgett, Douglas E., 422
Pagnano, Mark, 255, 260, 268, 317
Pai, V. S., 512
Paiement, Guy D., 330
Pao, Jwo-Luen, 529
Papadopoulos, Elias C., 252
Paprosky, Wayne G., 261, 263, 379
Paravic, Vibor, 262
Park, Hyung-Bin, 882

Parkeh, Selene, 260
Parks, Michael L., 1048
Parnell, E. J., 547
Parsley, Brian, 264
Parvizi, Javad, 252, 260
Passarelli, Ralph W., III, 269
Patel, Neil, 512
Patel, Nishitkumar S., 498
Patterson, Stuart D., 112
Pavlov, P. W., 33
Peak, E. Louis, 260
Pécina, Marko, 515
Pedersen, Douglas R., 267
Perka, Cartsen, 568
Peters, Christopher L., 188, 216, 261, 677, 721
Petrisor, B. A., 1043
Petruccelli, Danielle, 271, 394, 1043
Pettygrow, Rebecca, 70
Pierson, Jeff, 269
Poddar, Nises Chandra, 674
Pollock, David C., 267
Pomeroy, Donald L., 264, 269
Poon, K. C., 92, 863
Price, A. J., 970
Pring, Maya E., 268

Quigley, Laura R., 254, 257

Rachbauer, Franz, 1075
Rafii, Mahvash, 923
Ranawat, Chitranjan, 259, 261, 266, 409, 715
Rand, C., 1038
Rao, Anand, 259
Rao, Rajesh R., 715
Rasquinha, Vijay J., 259, 261, 266
Rassoulian, H., 376
Regan, Elizabeth, 260
Regnér, L., 25, 174
Reigstad, Astor, 1004
Reinholt, F. P., 1010
Retpen, J. B., 777
Ridgeway, Stephen R., 261
Ries, Michael D., 330, 802
Ritter, Merrill A., 13, 251, 252
Roberts, Seth, 264
Robertsson, Otto, 476
Robinson, D., 935
Rodriguez, José A., 259, 261, 266, 409, 715
Rodriguez, Ricardo J., 239
Rody, Kelly, 288
Rogers, Mary, 253
Røkkum, Magne, 1004
Romero, Anthony C., 55
Roos, J. C., 243
Rorabeck, Cecil H., 168
Rose, Peter S., 136
Rosenberg, Aaron G., 251, 254, 257, 268
Rosenthal, Leonard, 552
Rosić, Davorka, 515
Rothman, Richard H., 251, 260, 267, 415, 1030
Rowland, Charles M., 180, 483
Roysam, G. S., 454
Rubash, Harry E., 270
Rudan, J., 367
Ruiz, A. L., 607

Sacco, Marie E., 256
Sakahashi, Hisashi, 306
Sakano, Shinji, 463
Sakoda, H., 1018
Saleem, Arif, 400
Sanchez-Sotelo, Joaquin, 180, 253
Santore, Richard, 141
Sarkissian, Hasmik, 312
Sato, Eiichi, 306
Sawhney, Jaswin, 820
Scarlat, Marius M., 795
Schaper, Lawrence A., 264, 269
Schinsky, Mark F., 1048
Schmalholz, A., 1010
Schmalzried, Thomas, 255, 257, 262
Schreurs, B. Willem, 666
Schrøder, Henrik M., 559
Schurman, David J., 877
Scranton, Pierce E., Jr., 428
Sculco, Thomas P., 225, 1066
Seldes, Richard M., 301, 1066
Sethuraman, Venkat, 260
Seyfert, Ulrich, 844
Shanbhag, Arun, 270
Sharkey, Peter F., 251, 260, 267, 415, 1030
Sharrock, Nigel E., 1066
Shen, Francis H., 261
Shepherd, Eric F., 257
Shetty, A. A., 1038
Sierra, Rafael, 269, 446
Silber, Jeff S., 301
Silva, Mauricio, 257
Silverton, Craig, 262
Sim, Franklin H., 317
Simank, Hans-Georg, 790
Simon, Jean-Pierre A., 518
Siney, P. D., 613, 620
Sinha, Raj, 269
Skedros, John G., 279
Skehan, Henry, 258
Skyrme, A. D., 521
Smith, Marilyn W., 264, 269
Sneath, R. J. S., 547
Soavi, Raffaella, 991
Sokoloff, Brett, 1030
Solgaard, Søren, 559
Song, Hae-Ryong, 882
Spruit, M., 33
Steinfeld, Richard, 1078
Stiehl, James B., 706
Stone, M. H., 22, 613
Stuchin, Steven A., 759, 1081
Suarez-Almazor, M. E., 351
Suh, John H., 1
Sullivan, Patrick, 253, 267
Sullivan, Thomas, 260
Suthers, Kathleen E., 264, 269
Svensson, O., 871, 1010
Swarts, Eric, 927
Sychterz, Christi J., 256, 257, 263
Sylvain, G. Mark, 141
Szuszczewicz, Edward S., 820

Takada, Naoya, 458
Takai, Shinro, 471, 493
Takakura, Yoshinori, 998
Takaoka, Kunio, 340
Tamblyn, Peter, 404
Tanaka, Nobuyuki, 306
Tang, W. M., 92, 863
Tanino, Hiromasa, 1024
Tanzer, Michael, 552
Temmerman, O. P. P., 243
Terayama, Kazuo, 340
Thien, Truike M., 666
Thomason, H. Clayton, III, 628
Thompson, N. W., 607
Thompson, Neville W., 984
Thornberry, Robert, 679
Thornton, M., 935
Tio, M. K., 212
Title, Craig I., 409
Tokunaga, Junichi, 196
Toms, A. D., 543
Toomey, Sean D., 254
Topf, H., 970
Towers, Jeffery, 269
Trousdale, Robert, 128, 255, 260, 268, 677, 1078
Tullos, Hugh, 262
Turek, Michele A., 288
Turner, Norman S., III, 317
Tveit, M., 76

Ubayama, Yuji, 938
Udomkiat, Pacharapol, 251, 260, 689, 961
Uemura, Manji, 458
Urabe, Ken, 255
Urban, Robert, 262
Uvehammer, J., 25

Vail, Thomas Parker, 17
van den Brand, I. C. J. B., 850
van Dijk-van Dam, M. S. W., 33
van Haaren, E. H., 533
van Limbeek, J., 33
van Loon, Corne J. M., 740
VanGlynn, Mattie, 253
Varmarken, J. E., 777
Verdonschot, Nico, 666
Vertullo, Christopher J., 487
Veth, Rene P. H., 740
Vidalain, J. P., 266
Visani, Andrea, 991
Vives, Michael J., 1030
Voaklander, D. C., 351
Voice, A. M., 1018
von Knoch, Marius, 254
Voss, Frank R., 524

Waldenberger, Peter, 1075
Walker, D. I., 811
Walker, R., 613
Walker, Scott A., 268
Walper, John J., 124
Wan, Zhinian, 251, 260, 961
Wang, Shyu-Jye, 806
Warashina, Hideki, 463
Ward, William G., Sr., 919
Watanabe, Yoshinobu, 471
Webb, J., 970
Weidenhielm, L., 174
Weil, Kenneth C., 260
Weiss, Jennifer, 264
Wejkner, B., 1010
Welten, Marianne L. M., 666
Wenz, James F., 136
Wesslau, Ann, 1063
Whaley, Andrew, 252
Wherrett, Christopher, 288
White, Richard E., Jr., 266
Whiteside, Leo A., 263
Willmann, Gerd, 1071
Winemaker, Mitchell J., 394, 1043
Wingstrand, Hans, 905
Winiarsky, Raz, 1066
Wittig, James C., 856

Won, Ye-Yeon, 961
Won, Yean-Yon, 260
Wong, Tsz Kau, 674
Woodruff, M. J., 22
Woolson, Steven T., 877
Wright, James G., 901
Wright, Kevin, 1055
Wright, Thomas W., 180
Wroblewski, B. M., 613, 620, 1018
Wu, Howard, 312
Wuisman, P. I. J. M., 533
Yamada, Kunio, 458
Yamaguchi, Motoi, 389
Yamauchi, Ken-ichi, 463
Yang, Jin-Won, 882
Yang, K., 102
Yang, Shu-Hua, 529
Yau, W. P., 247
Yeo, S. J., 102
Yip, D., 92
Yong, Pu, 666
Yoshino, Nobuyuki, 471, 493
Yoshiya, Shin-ichi, 389
Young, Anthony M., 257, 263
Yuhta, Toshio, 1024

Zarzour, Zane D. S., 112
Zdero, R., 367
Zimran, Ari, 7
Zook, Jason, 919
Zuckerman, Joseph D., 753, 1055
Zura, Robert D., 504